


Message

**From:** Strynar, Mark [/O=EXCHANGELABS/OU=EXCHANGE ADMINISTRATIVE GROUP (FYDIBOHF23SPDLT)/CN=RECIPIENTS/CN=5A9910D5B38E471497BD875FD329A20A-STRYNAR, MARK]  
**Sent:** 7/24/2018 1:28:12 PM  
**To:** Eicher, Andrew C. [/o=ExchangeLabs/ou=Exchange Administrative Group (FYDIBOHF23SPDLT)/cn=Recipients/cn=a84eab3a9a7b4dbb8da1ec7b538d3556-Eicher, And]  
**CC:** McCord, James [/o=ExchangeLabs/ou=Exchange Administrative Group (FYDIBOHF23SPDLT)/cn=Recipients/cn=McCord, James]  
**Subject:** Nafion BP2 synthesis



Andrew we have this chemical.

<http://synquestlabs.com/product/id/27815.html>



We need to turn it into Nafion BP1 and or Nafion BP2. I am most interested in Nafion BP2 as we want to do some tox testing on it and find it most often in water and human serum.

Here are Nafion BP1 and Nafion BP2.



Mark

Dr. Mark J. Strynar  
Physical Scientist  
US EPA  
National Exposure Research Laboratory  
919-541-3706  
Strynar.mark@epa.gov